

CH1 S₁₁ log MAG 10 dB/ REF 0 dB 1: -26.78 dB

IPP-2069 VSWR

100.000 000 MHz

Cor


SCALE

2: -19.431 dB
300 MHz

10 dB/div

3: -18.84 dB
500 MHz

↑



START 100.000 000 MHz

STOP 500.000 000 MHz

CH2 S₂₁&M log MAG

1 dB/ REF -3 dB

1: -2.5824 dB

IPP-2069 Amp. Bal.

100.000 000 MHz

2: -3.4882 dB
300 MHz

SCALE

3: -3.3081 dB
500 MHz


1 dB/div

Cor

↑

START 100.000 000 MHz

STOP 500.000 000 MHz



CH2 S21 log MAG 10 dB/ REF 0 dB 1: -24.002 dB

IPP-2069 Isolation

100.000 000 MHz

2: -20.567 dB
300 MHz

SCALE

3: -17.795 dB
500 MHz


10 dB/div

Cor

↑

START 100.000 000 MHz

STOP 500.000 000 MHz



CH2 S₂₁/M phase

10 °/ REF -90 °

1: -90.266 °

IPP-2069 Phase Bal.

100.000 000 MHz

2: -90.163 °
300 MHz

SCALE

3: -95.593 °
500 MHz

10 °/div

Cor

↑

START 100.000 000 MHz

STOP 500.000 000 MHz

