


▶ Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [F1]



1 Start 800 MHz

IFBW 70 kHz

Stop 2.5 GHz Cor !

Meas

Stop

ExtRef

Ready


Svc

2009-09-21 11:35

Tr1 S21 Log Mag 200.0mdB/ Ref -3.000dB [RT D&amp;M]

1	800.00000	MHz	-3.3376	dB
2	1.6542500	GHz	-3.0929	dB
3	2.5000000	GHz	-3.4095	dB
>4	2.1428810	GHz	-3.2691	dB

IPP-1054 Loss



1 Start 800 MHz


IFBW 70 kHz

Stop 2.5 GHz Cor

Tr1 S21 Phase 1.000° / Ref 0.000° [RT D/M]

IPP-1054 Phase Balance

1	800.00000	MHz	-17.187	m°
2	1.6542500	GHz	144.98	m°
3	2.5000000	GHz	59.001	m°
>4	2.1428810	GHz	-247.74	m°



1 Start 800 MHz


IFBW 70 kHz

Stop 2.5 GHz Cor !

▶ Tr1 S21 Log Mag 8.000dB/ Ref 0.000dB [RT]

1	800.00000	MHz	-11.530	dB
2	1.6542500	GHz	-14.504	dB
3	2.5000000	GHz	-8.7615	dB
>4	2.1428810	GHz	-13.356	dB

IPP-1054 Isolation



1 Start 800 MHz

IFBW 70 kHz

Stop 2.5 GHz Cor !

Meas

Stop

ExtRef

Ready

Svc

2009-09-21 11:37