

CH1 S11 log MAG 10 dB/ REF 0 dB 1: -21.269 dB

IPP-2013 VSWR 500.000 000 MHz


Cor

CHANGED TO SYSTEM CONTROLLER 2: -27.136 dB  
1.5 GHz

SCALE 3: -20.359 dB  
2.5 GHz

10 dB/div

↑



START 500.000 000 MHz

STOP 2 500.000 000 MHz

CH2 S<sub>21</sub>&M log MAG .65 dB/ REF -3 dB

IPP-2013 Amp Bal

SCALE


.65 dB/div

Cor

↑

START 500.000 000 MHz

STOP 2 500.000 000 MHz




CH2 S21 log MAG 10 dB/ REF 0 dB 1: -21.392 dB

IPP-2013 Isolation 500.000 000 MHz

SCALE 2: -39.44 dB  
1.5 GHz

10 dB/div 3: -24.572 dB  
2.5 GHz



START 500.000 000 MHz STOP 2 500.000 000 MHz

CH2 S<sub>21</sub>/M phase

5 °/ REF -90 °

1: -91.145 °

IPP-2013 Phase


500.000 000 MHz

SCALE

5 °/div

2: -92.113 °  
1.5 GHz

3: -86.879 °  
2.5 GHz



START 500.000 000 MHz

STOP 2 500.000 000 MHz