

CH1 S₁₁ log MAG 10 dB/ REF 0 dB 1: -32.575 dB

IPP-2025 VSWR

960.000 000 MHz

Cor


SCALE

10 dB/div

2: -31.183 dB
1.09 GHz

3: -29.658 dB
1.22 GHz

↑



START 960.000 000 MHz

STOP 1 220.000 000 MHz

CH2 S₂₁&M log MAG .5 dB/ REF -3 dB 1: -3.1315 dB

IPP-2025 Amp-Bal & Loss

960.000 000 MHz

2: -3.2611 dB
1.09 GHz

SCALE

3: -3.2297 dB
1.22 GHz


.5 dB/div

Cor

↑

START 960.000 000 MHz

STOP 1 220.000 000 MHz



CH2 S21 log MAG 10 dB/ REF 0 dB 1: -33.282 dB

IPP-2025 Isolation

960.000 000 MHz

2: -31.731 dB
1.09 GHz

SCALE

3: -29.636 dB
1.22 GHz


10 dB/div

Cor

↑

START 960.000 000 MHz

STOP 1 220.000 000 MHz



CH2 S₂₁/M phase

2 °/ REF -90 °

1: -90.725 °

IPP-2025 Phase

960.000 000 MHz

2: -91.07 °
1.09 GHz

3: -91.119 °
1.22 GHz

SCALE

2 °/div

Cor

↑

START 960.000 000 MHz

STOP 1 220.000 000 MHz

