

CH1 S<sub>11</sub> log MAG 10 dB/ REF 0 dB 1: -28.266 dB

IPP-2030 VSWR 800.000 000 MHz

Cor


SCALE

10 dB/div

2: -27.011 dB  
1.45 GHz

3: -24.85 dB  
2.1 GHz

↑



START 800.000 000 MHz

STOP 2 100.000 000 MHz

CH2 S<sub>21</sub>&M log MAG .75 dB/ REF -3 dB 1: -2.543 dB

IPP-2030 Amp Bal


800.000 000 MHz

2: -3.746 dB  
1.45 GHz

SCALE

3: -2.6942 dB  
2.1 GHz

.75 dB/div



CH2 S21 log MAG 10 dB/ REF 0 dB 1: -26.239 dB

IPP-2030 Isolation

800.000 000 MHz

2: -26.118 dB  
1.45 GHz

SCALE

3: -22.723 dB  
2.1 GHz


10 dB/div

Cor

↑

START 800.000 000 MHz

STOP 2 100.000 000 MHz



CH2 S<sub>21</sub>/M phase

2 °/ REF -90 °

1: -90.347 °

IPP-2030 Phase

800.000 000 MHz

2: -90.938 °

1.45 GHz

SCALE

3: -92.068 °

2.1 GHz

2 °/div

Cor

START 800.000 000 MHz

STOP 2 100.000 000 MHz

