

CH1 S₁₁ log MAG 10 dB/ REF 0 dB 1: -28.721 dB

IPP-2031 VSWR

225.000 000 MHz


Cor

SCALE

10 dB/div

2: -24.794 dB
337.5 MHz

3: -22.895 dB
450 MHz



START 225.000 000 MHz

STOP 450.000 000 MHz

CH2 S₂₁&M log MAG

.5 dB/ REF -3 dB

1: -2.7554 dB

IPP-2031 Amp. Bal.


225.000 000 MHz

SCALE

.5 dB/div

2: -3.4208 dB
337.5 MHz

3: -2.9567 dB
450 MHz



START 225.000 000 MHz

STOP 450.000 000 MHz

CH2 S21 log MAG 10 dB/ REF 0 dB 1: -29.058 dB

IPP-2031 Isolation

225.000 000 MHz

SCALE

10 dB/div


2: -27.04 dB
337.5 MHz

3: -23.857 dB
450 MHz

Cor

↑

START 225.000 000 MHz STOP 450.000 000 MHz



CH2 S₂₁/M phase

5 °/ REF -90 °

1: -90 °

IPP-2031 Phase

225.000 000 MHz

SCALE

5 °/div

2: -90.312 °
337.5 MHz

3: -90.843 °
450 MHz



Cor

↑

START 225.000 000 MHz

STOP 450.000 000 MHz