

CH1 S₁₁ log MAG 10 dB/ REF 0 dB 1: -28.009 dB


IPP-2044 VSWR

1 300.000 000 MHz

2: -30.589 dB
1.4 GHz

3: -33.88 dB
1.5 GHz

SCALE
10 dB/div



START 1 300.000 000 MHz

STOP 1 500.000 000 MHz

CH2 S21&M log MAG .3 dB/ REF -3 dB 1: -3.1387 dB

IPP-2044 Amp. Bal.

1 300.000 000 MHz

SCALE

.3 dB/div

2: -3.208 dB
1.4 GHz


3: -3.1763 dB
1.5 GHz

Cor

↑

START 1 300.000 000 MHz

STOP 1 500.000 000 MHz



CH2 S21 log MAG 10 dB/ REF 0 dB 1: -28.866 dB

IPP-2044 Isolation

1 300.000 000 MHz

2: -30.69 dB
1.4 GHz

3: -32.281 dB
1.5 GHz


SCALE
10 dB/div

Cor

↑

START 1 300.000 000 MHz

STOP 1 500.000 000 MHz



CH2 S₂₁/M phase 5 °/ REF -90 ° 1: -89.12 °

IPP-2044 Phase

1 300.000 000 MHz

2: -89.342 °
1.4 GHz

SCALE

3: -89.868 °
1.5 GHz

5 °/div



Cor

↑

START 1 300.000 000 MHz

STOP 1 500.000 000 MHz