

CH1 S11 log MAG 10 dB/ REF 0 dB 1: -26.776 dB

IPP-2048 VSWR 66.000 000 MHz


Cor SCALE

10 dB/div

2: -25.012 dB
87 MHz

3: -23.03 dB
108 MHz

↑



START 66.000 000 MHz STOP 108.000 000 MHz

CH2 S₂₁&M log MAG .4 dB/ REF -3 dB 1: -3.0708 dB

IPP-2048 Amp. Bal.

66.000 000 MHz

SCALE


.4 dB/div

2: -3.4858 dB
87 MHz

3: -3.2358 dB
108 MHz

Cor

START 66.000 000 MHz STOP 108.000 000 MHz



CH2 S21 log MAG 10 dB/ REF 0 dB 1: -25.149 dB


IPP-2048 Isolation 66.000 000 MHz

SCALE 2: -25.39 dB
87 MHz

10 dB/div 3: -25.354 dB
108 MHz

Cor

START 66.000 000 MHz STOP 108.000 000 MHz



CH2 S₂₁/M phase

2 °/ REF -90 °

1: -89.924 °

IPP-2048 Phase

66.000 000 MHz

SCALE

2 °/div

2: -90.254 °
87 MHz

3: -90.677 °
108 MHz



Cor

↑

START 66.000 000 MHz

STOP 108.000 000 MHz