

CH1 S<sub>11</sub> log MAG 10 dB/ REF 0 dB 1: -28.776 dB

IPP-2055 VSWR

2 000.000 000 MHz

Cor


SCALE

2: -28.773 dB  
4 GHz

10 dB/div

3: -32.046 dB  
6 GHz

↑



x2

START 2 000.000 000 MHz

STOP 6 000.000 000 MHz


CH2 S<sub>21</sub>&M log MAG 1 dB/ REF -3 dB 1: -2.495 dB

IPP-2055 Amp. Bal.

2 000.000 000 MHz

SCALE  
1 dB/div

2: -3.9834 dB  
4 GHz  
3: -2.8228 dB  
6 GHz



START 2 000.000 000 MHz

STOP 6 000.000 000 MHz

CH2 S21 log MAG 10 dB/ REF 0 dB 1: -31.501 dB

IPP-2055 Isolation

2 000.000 000 MHz

2: -30.964 dB  
4 GHz

SCALE

3: -25.726 dB  
6 GHz


10 dB/div

Cor

↑

x2

START 2 000.000 000 MHz STOP 6 000.000 000 MHz



CH2 S<sub>21</sub>/M phase 5 °/ REF -90 ° 1: -89.429 °

IPP-2055 Phase 2 000.000 000 MHz

2: -89.308 °

SCALE 3: -90.593 °

5 °/div 6 GHz



Cor

↑

x2

START 2 000.000 000 MHz

STOP 6 000.000 000 MHz