

CH1 S₁₁ log MAG 10 dB/ REF 0 dB 11_ : -20.834 dB

IPP-2093 VSWR

800.000 000 MHz

Cor

21_ : -20.429 dB
1.75 GHz

SCALE

31_ : -21.738 dB
2.7 GHz

10 dB/div

f

▷

▽

2

3

START 800.000 000 MHz

STOP 2 700.000 000 MHz

CH2 S₂₁&M log MAG .6 dB/ REF -3 dB 11_ : -2.9253 dB

IPP-2093 Amp Bal


800.000 000 MHz

21_ : -3.0854 dB
1.75 GHz

SCALE

31_ : -3.1315 dB
2.7 GHz

.6 dB/div



Cor

f

START 800.000 000 MHz

STOP 2 700.000 000 MHz

CH2 S₂₁ log MAG 10 dB/ REF 0 dB 11_ : -20.547 dB

IPP-2093 Isolation

800.000 000 MHz

21_ : -21.592 dB
1.75 GHz

SCALE


31_ : -19.978 dB
2.7 GHz

10 dB/div

Cor

START 800.000 000 MHz

STOP 2 700.000 000 MHz



CH2 S₂₁/M phase

5 ° / REF - 90 °

11 _ : - 88.10 ↑

IPP-2093 Phase

800.000 000 MHz

21 _ : - 87.759
- 1.75 GHz

S C A L E

31 _ : - 86.573
2.7 GHz

5 ° / d i v



Cor

START 800.000 000 MHz

STOP 2 700.000 000 MHz