

CH1 S₁₁ log MAG 10 dB/ REF 0 dB 11_ : -19.62 dB

IPP-2136 VSWR

200.000000 MHz

Cor

21_ : -20.477 dB


1.1 GHz

SCALE

31_ : -26.031 dB

10 dB/div

2 GHz



START 200.000000 MHz

STOP 2 000.000000 MHz

CH2 S

21 &M log MAG

.8 dB/

REF -3 dB

1□_-2.8497 dB

IPP-2136 Amp Bal

200.000 000 MHz

2□_-4.0218 dB


1.1 GHz

3□_-3.5036 dB

2 GHz

SCALE

.8 dB/div



Cor

↑

START 200.000 000 MHz

STOP 2 000.000 000 MHz

CH2 S₂₁ log MAG 10 dB/ REF 0 dB 11_ : -18.95 dB

IPP-2136 Isolation 200.000000 MHz

21_ : -25.381 dB
1.1 GHz

31_ : -20.322 dB
2 GHz


REFERENCE VALUE

0 dB

Cor

↑

START 200.000000 MHz STOP 2 000.000000 MHz



CH2 S₂₁/M phase

10 ° / REF - 90 °

11 _ : - 88.63 °

IPP-2136 Phase Bal

200.000000 MHz

21 _ : - 84.61 °

1.1 GHz

SCALE

31 _ : - 97.17 °

10 ° / div

2 GHz



START 200.000000 MHz

STOP 2 000.000000 MHz