

CH1 S11 LOG 10 dB/ REF 0 dB 1:- 20.088 dB .800 000 000 GHz

IPP-2337 VSWR

CA




CH1 Markers
 2:- 24.052 dB
 1.65000 GHz
 3:- 26.518 dB
 2.50000 GHz

CH2 S21&M LOG .6 dB/ REF -3 dB 1:- 3.3910 dB .800 000 000 GHz

IPP-2337 Amplitude Balance

SCALE
.6 dB/div

CA



CH2 Markers
 2:- 3.2140 dB
 1.65000 GHz
 3:- 3.1240 dB
 2.50000 GHz

START .800 000 000 GHz

STOP 2.500 000 000 GHz

CH1 MEM LOG 10 dB/ REF 0 dB 1:-19.503 dB .800 000 000 GHz

IPP-2337 Isolation

CA

f



CH1 Markers

2:- 24.123 dB
1.65000 GHz

3:- 22.001 dB
2.50000 GHz


CH2 S21/ M PHA 5 °/ REF -90 ° 1:- 88.992 ° .800 000 000 GHz

IPP-2337 Phase Balance

SCALE
5 °/ div

CA

f



CH2 Markers

2:- 89.951 °
1.65000 GHz

3:- 92.795 °
2.50000 GHz

START .800 000 000 GHz

STOP 2.500 000 000 GHz