

CH1 S₁₁ log MAG 10 dB/ REF 0 dB 1: -31.558 dB

IPP-3003 Main Line VSWR

1 000.000 000 MHz

CHANGED TO SYSTEM CONTROLLER

2: -34.457 dB
2 GHz


SCALE

3: -36.8 dB
3 GHz

10 dB/div

Cor

↑



START 1 000.000 000 MHz

STOP 3 000.000 000 MHz

CH2 S21 log MAG .3 dB/ REF 0 dB 1: -.0642 dB

IPP-3003 Main Line Loss

1 000.000 000 MHz

2: -.1275 dB
2 GHz

SCALE


3: -.1906 dB
3 GHz

.3 dB/div

Cor

START 1 000.000 000 MHz

STOP 3 000.000 000 MHz



CH2 S21 log MAG 1 dB/ REF -40 dB 1: -40.314 dB

IPP-3003 Coupling


1 000.000 000 MHz

2: -40.786 dB
2 GHz

SCALE

3: -40.211 dB
3 GHz

1 dB/div



START 1 000.000 000 MHz

STOP 3 000.000 000 MHz

Cor
Avg
16

↑

CH2 S21 log MAG 10 dB/ REF -40 dB 1: -76.242 dB

IPP-3003 Isolation

1 000.000 000 MHz

2: -69.588 dB
2 GHz

SCALE

3: -64.461 dB
3 GHz

10 dB/div

Cor

Avg

16

↑

START 1 000.000 000 MHz

STOP 3 000.000 000 MHz

