

CH1 S₁₁ log MAG 10 dB/ REF 0 dB 1: -49.343 dB

IPP-3011 Input VSWR

20.000 000 MHz

Cor

SCALE

2: -36.065 dB
200 MHz

10 dB/div

3: -29.613 dB
500 MHz

↑



START 20.000 000 MHz

STOP 500.000 000 MHz

CH2 S₂₁ log MAG .2 dB/ REF 0 dB 1: -.0032 dB

IPP-3011 Insertion Loss

20.000 000 MHz

2: -.0649 dB
200 MHz

SCALE

3: -.1652 dB
500 MHz


.2 dB/div

Cor

↑

START 20.000 000 MHz

STOP 500.000 000 MHz



CH2 S21 log MAG 1 dB/ REF -50 dB 1: -49.465 dB

IPP-3011 Coupling


20.000 000 MHz

2: -49.575 dB
200 MHz

SCALE

3: -49.363 dB
500 MHz

1 dB/div



Cor

Avg
16

↑

START 20.000 000 MHz

STOP 500.000 000 MHz

CH2 S21 log MAG 10 dB/ REF -50 dB 1: -86.161 dB

IPP-3011 Isolation

20.000 000 MHz

2: -79.478 dB
200 MHz

SCALE

3: -73.684 dB
500 MHz

10 dB/div

Cor
Avg
16
↑

START 20.000 000 MHz STOP 500.000 000 MHz

