

S11 LOG 10 dB/ REF 0 dB 1:-32.776 dB 700.000 000 MHz

IPP-3045 VSWR

Cor

CH1 Markers
2:-35.782 dB
1.95000 GHz
3:-33.307 dB
3.20000 GHz

r



START 700.000 000 MHz

STOP 3 200.000 000 MHz


CH2 S21 LOG .5 dB/ REF -40 dB 1:-40.482 dB 700.000 000 MHz

IPP-3045 Coupling

CH2 Markers
2:-40.748 dB
1.95000 GHz
3:-40.566 dB
3.20000 GHz

Cor

↑



START 700.000 000 MHz

STOP 3 200.000 000 MHz


CH2 S21 LOG .3 dB/ REF 0 dB 1:-.01810 dB 700.000 000 MHz

IPP-3045 Insertion Loss

CH2Markers
2:-.11050 dB
1.95000 GHz
3:-.14330 dB
3.20000 GHz

Cor

f



START 700.000 000 MHz

STOP3 200.000 000 MHz


S21 LOG 10 dB/ REF -40 dB 1:-64.385 dB 700.000 000 MHz

IPP-3045 Isolation

CH2Markers
2:-70.440 dB
1.95000 GHz
3:-68.413 dB
3.20000 GHz

Cor

f



START 700.000 000 MHz

STOP3 200.000 000 MHz