

CH1 S₁₁ log MAG 10 dB/ REF 0 dB 11 _: - 22.158 dB

IPP-3072 VSWR

2 000.000 000 MHz

Cor

21 _: - 24.304 dB


4 GHz

M A R K E R 1

31 _: - 49.897 dB

6 GHz

2 GHz




START 2 000.000 000 MHz

STOP 6 000.000 000 MHz

x2

CH2 S₂₁ log MAG 1.4 dB/ REF - 20 dB 11_ : - 21.357 dB



CH2 S₂₁ log MAG .5 dB/ REF 0 dB 11_ : - .1721 dB

IPP-3072 insertion Loss

2 000.000 000 MHz

21_ : - .2245 dB
4 GHz

SCALE

31_ : - .2996 dB
6 GHz

.5 dB / div


Cor

f

x2

START 2 000.000 000 MHz

STOP 6 000.000 000 MHz



CH2 S₂₁ log MAG 10 dB/ REF -20 dB 11_ : -43.401 dB

IPP-3072 Isolation

2 000.000 000 MHz

21_ : -44.905 dB
4 GHz

SCALE

31_ : -42.435 dB
6 GHz

10 dB/div

Cor

x2

START 2 000.000 000 MHz

STOP 6 000.000 000 MHz

