



CH1 S11 LOG 10 dB/ REF 0 dB 1:- 34.827 dB 500.000 000 MHz



CH1 Marker s
2:- 35.570 dB
1.75000 GHz
3:- 27.302 dB
3.00000 GHz

CH2 S21 LOG .35 dB/ REF 0 dB 1:-.03190 dB 500.000 000 MHz



CH2 Marker s
2:-.11210 dB
1.75000 GHz
3:-.24230 dB
3.00000 GHz

Cor

f

START 500.000 000 MHz

STOP 3 000.000 000 MHz

CH1 S21 LOG .6 dB/ REF -40 dB 1:- 40.969 dB 500.000 000 MHz


COUPLING 1 PP-3078

Cor

CH1 Markers

2:- 40.351 dB
1.75000 GHz

3:- 40.446 dB
3.00000 GHz



START 500.000 000 MHz

STOP 3 000.000 000 MHz

CH2

S21&M LOG

10 dB/ REF -40 dB

1:- 68.828 dB

500.000 000 MHz

I SOLATI ON I PP- 3078


CH2 Marker s

2:- 59.599 dB
1.75000 GHz

3:- 58.822 dB
3.00000 GHz

Cor

f



START 500.000 000 MHz

STOP 3.000 000 000 MHz