

CH1

S11

LOG

10 dB/ REF 0 dB

1:- 30.372 dB

800.000 000 MHz

IPP-3096 VSWR


Cor

f

CH1 Marker s

2:- 37.353 dB  
1.75000 GHz

3:- 25.237 dB  
2.70000 GHz



START 800.000 000 MHz

STOP 2 700.000 000 MHz

CH2

S21 LOG .25 dB/ REF 0 dB

1: .00850 dB

800.000 000 MHz

IPP-3096 Insertion Loss


CH2 Marker s

2: -.00970 dB  
1.75000 GHz

3: -.14630 dB  
2.70000 GHz

Cor

f



START 800.000 000 MHz

STOP 2 700.000 000 MHz

CH1 S21 LOG 1 dB REF - 40 dB 1:- 39.783 dB 800.000 000 MHz

IPP-3096 Coupling

Cor

r


CH1 Markers

2:- 40.513 dB  
1.75000 GHz

3:- 40.414 dB  
2.70000 GHz

START 800.000 000 MHz

STOP 2 700.000 000 MHz



CH2 S21 LOG 10 dB/ REF - 40 dB 1:- 62.204 dB 800.000 000 MHz

IPP-3096 Isolation

CH2 Marker s

2:- 62.206 dB  
1.75000 GHz

3:- 63.729 dB  
2.70000 GHz

Cor

f

START 800.000 000 MHz

STOP 2 700.000 000 MHz

