


IPP-3116 VSWR

▶ Tr1 S11 Log Mag 5.000dB/ Ref -20.00dB [F1]

1	100.00000	MHz	-41.726	dB
>2	299.00000	MHz	-38.043	dB
3	500.00000	MHz	-35.387	dB



1 Start 100 MHz

IFBW 70 kHz

Stop 500 MHz

Cor

Meas

Stop

ExtRef


Ready

Svc

2011-11-28 13:21

IPP-3116 Insertion Loss


▶ Tr2 S21 Log Mag 300.0mdB/ Ref 0.000dB [RT]



IPP-3116 Coupling

▶ Tr2 S21 Log Mag 500.0mdB/ Ref -40.00dB [RT D&amp;M]

1	100.00000 MHz	-40.015 dB
>2	299.00000 MHz	-40.217 dB
3	500.00000 MHz	-40.047 dB



1 Start 100 MHz


IFBW 70 kHz

Stop 500 MHz Cor !

IPP-3116 Isolation

▶ Tr2 S21 Log Mag 5.000dB/ Ref -60.00dB [RT D&amp;M]

1	100.00000	MHz	-77.110	dB
>2	299.00000	MHz	-67.730	dB
3	500.00000	MHz	-63.557	dB



1 Start 100 MHz

IFBW 70 kHz

Stop 500 MHz 16/16 Cor !