


IPP-3155 VSWR

▶ Tr1 S11 Log Mag 10.00dB/ Ref -20.00dB [F1]



1 Start 700 MHz

IFBW 70 kHz

Stop 2 GHz

Cor

Meas

Stop

ExtRef

Ready

Svc

2011-10-17 08:54

IPP-3155 Coupling

▶ Tr2 S21 Log Mag 500.0mdB/ Ref -40.00dB [RT]

|    |            |     |         |    |
|----|------------|-----|---------|----|
| 1  | 700.000000 | MHz | -40.612 | dB |
| >2 | 1.3532500  | GHz | -40.224 | dB |
| 3  | 2.0000000  | GHz | -40.240 | dB |




2 Start 700 MHz

IFBW 70 kHz

Stop 2 GHz 10/10 Cor !

IPP-3155 ISOLATION

▶ Tr1 S21 Log Mag 5.000dB/ Ref -60.00dB [RT]




2 Start 700 MHz

IFBW 70 kHz

Stop 2 GHz 16/16 Cor

IPP-3155 Insertion Loss

▶ Tr1 S21 Log Mag 150.0mdB/ Ref 0.000dB [RT]



2 Start 700 MHz

IFBW 70 kHz

Stop 2 GHz 10/10 Cor !