

CH1 S₁₁ log MAG 10 dB/ REF 0 dB 11_ : - 35.456 dB

IPP-7004 Return Loss


2 500.000000 MHz

21_ : - 26.691 dB
4.25 GHz

31_ : - 21.042 dB
6 GHz

SCALE

10 dB/div



START 2 500.000 000 MHz

STOP 6 000.000 000 MHz

x 2

CH2 S₂₁ & M I o g M A G . 75 dB/ REF - 3 dB 11 _ : - 2.6713 dB

IPP-7004 Amplitude Balance

2 500.000000 MHz

21 _ : - 3.557 dB


4.25 GHz

S C A L E

31 _ : - 2.9352 dB

. 75 dB / d i v

6 GHz



Cor

↑

x 2

START 2 500.000 000 MHz

STOP 6 000.000 000 MHz

CH2 S₂₁ log MAG 10 dB/ REF -18 dB 11_ : -34.982 dB

IPP-7004 Isolation

2 500.000000 MHz

21_ : -27.379 dB


4.25 GHz

SCALE

31_ : -22.152 dB

10 dB/div

6 GHz



START 2 500.000 000 MHz

STOP 6 000.000 000 MHz

CH1 S₂₁/M phase 5 ° / REF - 90 ° 11 _ : - 90 . 25 °

IPP-7004 Phase 2 500.000000 MHz

Cor SCALE 21 _ : - 90 . 91 °
31 _ : - 94 . 29 °

5 ° / div 6 GHz



START 2 500.000 000 MHz STOP 6 000.000 000 MHz

x 2