

CH1 S₁₁ log MAG 10 dB/ REF 0 dB 11_ : -19.608 dB

IPP-7010 VSWR

800.000 000 MHz

Cor

21_ : -20.263 dB

1.65 GHz

SCALE

31_ : -24.341 dB

10 dB/div

2.5 GHz

f

▷


▽

2

3

START 800.000 000 MHz

STOP 2 500.000 000 MHz



CH2 S₂₁&M log MAG 1 dB/ REF - 3 dB 11_ : - 2.7037 dB

IPP-7010 Amp Bal


800.000 000 MHz

21_ : - 3.2514 dB
1.65 GHz

SCALE

31_ : - 3.1661 dB
2.5 GHz

1 dB / div



Cor

START 800.000 000 MHz

STOP 2 500.000 000 MHz

CH2 S₂₁ log MAG 10 dB/ REF 0 dB 11_ : - 21.333 dB

IPP-7010 Isolation

800.000 000 MHz

21_ : - 19.925 dB
1.65 GHz

SCALE

31_ : - 22.619 dB
2.5 GHz


10 dB / div

Cor

f

START 800.000 000 MHz

STOP 2 500.000 000 MHz



CH2 S₂₁/M phase

5 ° / REF - 90 °

11 _ : - 89.27 °

IPP-7010 Phase Bal

800.000 000 MHz

21 _ : - 88.85 °
- 1.65 GHz

S C A L E

31 _ : - 91.48 °
2.5 GHz

5 ° / d i v



Cor

↑

START 800.000 000 MHz

STOP 2 500.000 000 MHz