

CH1 S11 LOG 10 dB/ REF 0 dB 1:- 26.467 dB 8.000 000 000 GHz

IPP-7112 VSWR

Cor



CH1 Markers

2:- 26.695 dB
10.0000 GHz


3:- 19.708 dB
12.0000 GHz

CH2 S21&M LOG 1 dB/ REF -3 dB 1:- 2.9840 dB 8.000 000 000 GHz

IPP-7112 Amplitude Balance

Cor

SCALE
1 dB/div



CH2 Markers

2:- 3.5610 dB
10.0000 GHz

3:- 3.2960 dB
12.0000 GHz


START 8.000 000 000 GHz

STOP 12.000 000 000 GHz

CH1 MEM LOG 10 dB/ REF 0 dB 1:- 23.791 dB 8.000 000 000 GHz

IPP-7112 Isolation

Cor




CH1 Markers
2:- 23.634 dB
10.0000 GHz
3:- 21.007 dB
12.0000 GHz

CH2 S21/M PHA 5 °/ REF -90 ° 1:- 91.049 ° 8.000 000 000 GHz

IPP-7112 Phase Balance

Cor

SCALE
5 ° / div



CH2 Markers
2:- 92.433 °
10.0000 GHz
3:- 91.288 °
12.0000 GHz

START 8.000 000 000 GHz

STOP 12.000 000 000 GHz